

PRODUCT

November 2023

***The Best
Quality
Supplier***

Check out the best
quality fire-
hydrant products.



SOLUTIONS BETTER FABRICATION

SOBEFA INC.

VOLUME

1

CATALOG

See the all fire-Hydrant valves, Fittings, adapters, nozzles, tools, fabrication item,
casting parts,

The Best in Engineering Products

We supply in Government sector, Commercial sector, Domestic sector, mining, in construction as well as in many other sectors. We have developed numerous products in the security, aqueducts and transport sectors, where we have successfully delivered on time.

Fire-Safety Products



Hydrant Gate Valve

Application	Fire Hydrant, Fire Tankers, Commercial
Body, Handle, Swivel	Graded Aluminium
Inside Assembly	Brass
2.5 inch nipple	Brass
Surface treatment	Powder Coating

Size	Product Code
2 ½" QST Male X 2 ½" QST Female	BAL-VAL-G1
2 ½" BAT Male X 2 ½" BAT Female	BAL-VAL-BG1
2 ½" CSA Male X 2 ½" CSA Female	BAL-VAL-CG1
2 ½" NS Male X 2 ½" NS Female	BAL-VAL-NSG1
2 ½" WCT Male X 2 ½" WCT Female	BAL-VAL-WG1



Hydrant Gate Valve with non-return adapter

Application	Fire Hydrant, Fire Tankers, Commercial
Body, Handle, Swivel	Graded Aluminium
Inside Assembly	Brass
Non Return Body	Brass
Surface treatment	Powder Coating

Size	Product Code
2 ½" QST Male X 2 ½" QST Female	BAL-VAL-BR
2 ½" BAT Male X 2 ½" BAT Female	BAL-VAL-BBR
2 ½" CSA Male X 2 ½" CSA Female	BAL-VAL-CBR
2 ½" NS Male X 2 ½" NS Female	BAL-VAL-NSBR
2 ½" WCT Male X 2 ½" WCT Female	BAL-VAL-WBR



Hydrant Gate Valve

Application	Fire Hydrant, Fire Tankers, Commercial
Body, Handle, Swivel	Graded Aluminium
Inside Assembly	Brass
Non Return Body	Red Brass
Surface treatment	Powder Coating and nickel Chrome

Size	Product Code
2 ½" QST Male X 2 ½" QST Female	BAL-VAL-CP
2 ½" BAT Male X 2 ½" BAT Female	BAL-VAL-BCP
2 ½" CSA Male X 2 ½" CSA Female	BAL-VAL-CCP
2 ½" NS Male X 2 ½" NS Female	BAL-VAL-NSCP
2 ½" WCT Male X 2 ½" WCT Female	BAL-VAL-WCP



Non-return adapter for gate valve

Application	Fire Hydrant, Fire Tankers, Commercial
Material	Brass
Surface treatment	Polished

Size	Product Code
2 ½" QST Male X 2 ½" QST Female	BAL-AD-G1
2 ½" BAT Male X 2 ½" BAT Female	BAL-AD-BG1
2 ½" CSA Male X 2 ½" CSA Female	BAL-AD-CG1
2 ½" NS Male X 2 ½" NS Female	BAL-AD-NSG1
2 ½" WCT Male X 2 ½" WCT Female	BAL-AD-WG1

Fire-Safety Products



Non-return adapter for gate valve

Application	Fire Hydrant, Fire Tankers, Commercial
Material	Red Brass, Aluminium swivel
Surface treatment	Polished

Size	Product Code
2 ½" QST Male X 2 ½" QST Female	BAL-AD-G2
2 ½" BAT Male X 2 ½" BAT Female	BAL-AD-BG2
2 ½" CSA Male X 2 ½" CSA Female	BAL-AD-CG2
2 ½" NS Male X 2 ½" NS Female	BAL-AD-NSG2
2 ½" WCT Male X 2 ½" WCT Female	BAL-AD-WG2



Double Side Closing Hydrant Gate Valve

Application	Fire Hydrant, Fire Tankers, Commercial
Body, Handle, Swivel	Graded Aluminum
Inside Assembly	Stainless Steel, Aluminum
Surface treatment	Powder Coating

Size	Product Code
2 ½" QST Male X 2 ½" QST Female	BAL-VAL-G2
2 ½" BAT Male X 2 ½" BAT Female	BAL-VAL-BG2
2 ½" CSA Male X 2 ½" CSA Female	BAL-VAL-CG2
2 ½" NS Male X 2 ½" NS Female	BAL-VAL-NSG2
2 ½" WCT Male X 2 ½" WCT Female	BAL-VAL-WG2



Fire hose adapter elbow 90 degree

Material	Aluminum
Surface treatment	Powder Coating
Application	Used in Hydrant, and Hydrant Gate valve

Size	Product Code
2 ½" QST Male X 2 ½" QST Female	Acc-coude-90
2 ½" BAT Male X 2 ½" BAT Female	Acc-coude-B90
2 ½" CSA Male X 2 ½" CSA Female	Acc-coude-C90
2 ½" NS Male X 2 ½" NS Female	Acc-coude-NS90
2 ½" WCT Male X 2 ½" WCT Female	Acc-coude-W90



Fire hose adapter elbow 45 degree

Material	Aluminum
Surface treatment	Powder Coating
Application	Used in Hydrant, and Hydrant Gate valve

Size	Product Code
2 ½" QST Male X 2 ½" QST Female	Acc-coude-45
2 ½" BAT Male X 2 ½" BAT Female	Acc-coude-B45
2 ½" CSA Male X 2 ½" CSA Female	Acc-coude-C45
2 ½" NS Male X 2 ½" NS Female	Acc-coude-NS45
2 ½" WCT Male X 2 ½" WCT Female	Acc-coude-W45

Fittings



Brass Adapter

Application	Fittings
Material	Brass

Size	Product Code
2 ½" MQST X 2 ½" MNPT	ADA-146-2525
2 ½" MBAT X 2 ½" MNPT	ADA-146-25B25T
2 ½" MCSA X 2 ½" MNPT	ADA-146-25C25T
2 ½" MNS X 2 ½" MNPT	ADA-146-25NS25T
2 ½" MWCT X 2 ½" MNPT	ADA-146-25W25T



Brass Adapter

Application	Fittings
Material	Brass

Size	Product Code
2 ½" MQST X 2 ½" MNPT	ADA-146-2520
2 ½" MBAT X 2 ½" MNPT	ADA-146-25B20T
2 ½" MCSA X 2 ½" MNPT	ADA-146-25C20T
2 ½" MNS X 2 ½" MNPT	ADA-146-25NS20T
2 ½" MWCT X 2 ½" MNPT	ADA-146-25W20T



Brass Adapter

Application	Fittings
Material	Brass
Description	Size: 2" MNPSH X 2" MNPT
Product Code	ADA-146-2020



Brass Adapter

Application	Fittings
Material	Brass

Size	Product Code
2 ½" MQST X 2 ½" FNPT	ADA-155-2525
2 ½" MBAT X 2 ½" FNPT	ADA-155-25B25T
2 ½" MCSA X 2 ½" FNPT	ADA-155-25C25T
2 ½" MNS X 2 ½" FNPT	ADA-155-25NS25T
2 ½" MWCT X 2 ½" FNPT	ADA-155-25W25T

Fittings



Brass Adapter

Application	Fittings
Material	Brass

Size	Product Code
2 ½" MQST X 2" FNPT	ADA-216-2520
2 ½" MBAT X 2" FNPT	ADA-216-25B20T
2 ½" MCSA X 2" FNPT	ADA-216-25C20T
2 ½" MNS X 2" FNPT	ADA-216-25NS20T
2 ½" MWCT X 2" FNPT	ADA-216-25W20T



Brass Adapter

Application	Fittings
Material	Brass

Size	Product Code
2 ½" MQST X 3" MNPT	ADA-146-2530
2 ½" MBAT X 3" MNPT	ADA-146-25B30T
2 ½" MCSA X 3" MNPT	ADA-146-25C30T
2 ½" MNS X 3" MNPT	ADA-146-25NS30T
2 ½" MWCT X 3" MNPT	ADA-146-25W30T



Brass Adapter

Material	Brass
Surface treatment	Polished
Application	Used in Fittings, Hydrant, and Hydrant Gate valve

Size	Product Code
2 ½" FQST X 1 ½" MNPT	ADA-130-2515
2 ½" FBAT X 1 ½" MNPT	ADA-130-25B15T
2 ½" FCSA X 1 ½" MNPT	ADA-130-25C15T
2 ½" FNS X 1 ½" MNPT	ADA-130-25NS15T
2 ½" FWCT X 1 ½" MNPT	ADA-130-25W15T



Brass Adapter

Material	Brass
Surface treatment	Polished
Application	Used in Fittings, Hydrant, and Hydrant Gate valve

Size	Product Code
2 ½" FQST X 2" MNPT	ADA-130-2520
2 ½" FBAT X 2" MNPT	ADA-130-25B20T
2 ½" FCSA X 2" MNPT	ADA-130-25C20T
2 ½" FNS X 2" MNPT	ADA-130-25NS20T
2 ½" FWCT X 2" MNPT	ADA-130-25W20T

Fittings



Brass Adapter

Material	Brass
Surface treatment	Polished
Application	Used in Fittings, Hydrant, and Hydrant Gate valve

Size	Product Code
2 ½" FQST X ¾" MNPT	ADA-130-2575
2 ½" FBAT X ¾" MNPT	ADA-130-25B75T
2 ½" FCSA X ¾" MNPT	ADA-130-25C75T
2 ½" FNS X ¾" MNPT	ADA-130-25NS75T
2 ½" FWCT X ¾" MNPT	ADA-130-25W75T



Brass Adapter

Application	Fittings
Material	Brass
Description	Size: 1 ½" NPSH
Product Code	ADA-CAP-15
Surface treatment	Polished



Brass Adapter

Application	Fittings
Material	Brass
Description	Size: 2" NPSH
Product Code	ADA-CAP-20
Surface treatment	Polished



Brass Adapter

Application	Fittings
Material	Brass
Surface treatment	Polished

Size	Product Code
2 ½" QST	ADA-CAP-25
2 ½" BAT	ADA-CAP-25B
2 ½" CSA	ADA-CAP-25C
2 ½" NS	ADA-CAP-25NS
2 ½" WCT	ADA-CAP-25W

Fittings



Storz Adapter in brass

Application	Fittings
Material	Brass
Description	Size: Storz 2 1/2"
Product Code	STZ-250-B



Brass Adapter

Material	Brass
Surface treatment	Polished
Application	Used in Fittings, Hydrant, and Hydrant Gate valve

Size	Product Code
2 1/2" FQST SW X 2" MNPT	ADA-215-2520
2 1/2" FBAT SW X 2" MNPT	ADA-215-25B20T
2 1/2" FCSA SW X 2" MNPT	ADA-215-25C20T
2 1/2" FNS SW X 2" MNPT	ADA-215-25NS20T
2 1/2" FWCT SW X 2" MNPT	ADA-215-25W20T



Brass Adapter

Material	Brass
Surface treatment	Polished
Application	Used in Fittings, Hydrant, and Hydrant Gate valve

Size	Product Code
2 1/2" FQST SW X 2 1/2" MNPT	ADA-215-2525
2 1/2" FBAT SW X 2 1/2" MNPT	ADA-215-25B25T
2 1/2" FCSA SW X 2 1/2" MNPT	ADA-215-25C25T
2 1/2" FNS SW X 2 1/2" MNPT	ADA-215-25NS25T
2 1/2" FWCT SW X 2 1/2" MNPT	ADA-215-25W25T



Brass Adapter

Application	Fittings
Material	Brass (Chrome and Powder coated)

Size	Product Code
2 1/2" QST SW X (2) 2 1/2" MQST	VAL-WYE-2525
2 1/2" BAT SW X (2) 2 1/2" MBAT	VAL-WYE-B2525
2 1/2" CSA SW X (2) 2 1/2" MCSA	VAL-WYE-C2525
2 1/2" NS SW X (2) 2 1/2" MNS	VAL-WYE-NS2525
2 1/2" WCT SW X (2) 2 1/2" MWCT	VAL-WYE-W2525

Fittings




Plastic Nozzle

Application	Fittings, Fire hose
Material	PLASTIC
Description	Size: 1 ½" NPSH
Product Code	NOZ-02-403



Brass Nozzle

Application	Fittings, Fire hose
Material	BRASS
Description	Size: 1 ½" NPSH
Product Code	NOZ-02-415



Storz Adapter in brass

Application	Fittings, Fire hose
Material	Brass
Description	Size: Storz 2"
Product Code	STZ-200-B

Fire-Safety Tools



Double head adjustable hydrant wrench

Application	Fire Hydrant, Valves, Swivel Adapter, brass Adapter
Material	Steel, brass
Description	Size: 1 ¼" adjustable
Product Code	BA-105-BR



Pigtail adjustable hydrant wrench

Application	Fire Hydrant, Valves, Swivel Adapter, brass Adapter
Material	Steel
Description	Size: 1 ¼" adjustable
Product Code	BA-106-SL



Fire-hydrant wrench Square, Aluminum

Application	Fire Hydrant, Valves, Swivel Adapter, brass Adapter
Material	Aluminum (Powder Coated)
Description	Size: 1 ¼"
Product Code	BA-107-R0



Storz Wrench

Application	Storz tool
Material	Steel
Description	Storz wrench
Product Code	SPA-SW-1530

Lockouts



Hydrant Lock-out

Size	1 ¼"
Body	Aluminium
Inside Assembly	Graded Steel
Key	SS-304
Surface treatment	Powder Coating
Application	Used for locking of hydrant
Product Code	BAL-DC-03



Compression valve

Application	To lock ground bore
Material	Stainless Steel and PU Rubber
Description	Size: 6", 5", 4", 4 ¾"
Product Code	C-BVC-06, C-BVC-05, C-BVC-04, C-BVC-04B




Compression valve Handle

Application	To operate compression valve
Material	Steel
Description	Suitable for all series of Comp. valve
Product Code	C-OVBC-04



Compression valve Lock

Application	Compression valve secure locking
Material	Steel
Description	3-hole locking feature
Product Code	MR-BC-3C



Size 1"



Size 1 1/2"



Size 2"



Length 58"

Aluminum Wrench Tool (118" length)

Application	Valve or Hydrant operating at deep level
Material	Aluminum Pipe, Steel Parts of 3 different Sizes
Description	Total length: 118" Part1 = 1" Part2 = 1 1/2" Part3 = 2"
Product Code	BAL-CL-AL



Manhole Locking Device and Handle (21" & 27")

Application	To lock manhole
Material	Aluminum body and steel parts
Description	Manhole Locking Device, Manhole Locking Device-handle
Product Code	Size 21": C-BVV-21 Size 27": C-BVV-27 Handle: C-OVBV-07

Fabrication Item



Glass-Rack

Application	Safe holding and transportation of Glass-slices
Material	Steel (Powder Coated)
Description	Weight: 185 Kg Size: 2155 X 580 X 1983
Product Code	BM-FGR-185

Note: And Also Available in all Customized Sizes As per Customers Requirement



Bike Stand

Application	Road side, Parking, Private and public Use
Material	Stainless steel
Description	Stainless steel bike stand
Product Code	BM-FBS-1



Bike Stand

Application	Road side, Parking, Private and public Use
Material	Stainless steel
Description	Stainless steel bike stand
Product Code	BM-FBS-2



Steel Dustbin

Application	Private and public Use
Material	Steel (Galvanized)
Description	Steel Dustbin
Product Code	BM-FD-1

Fabrication Item



Traffic Cone 28

Size	70cm Black base with high intensive film and anti-cold
-------------	--

Material	
-----------------	--

Description	
--------------------	--



GREEN U- POST

THICKNESS	: 2.4 MM
------------------	----------

MATERIAL	: MS
-----------------	------

COATING	: POWDER COATING
----------------	------------------

PRODUCT CODE	: UT-01_T-POST
---------------------	----------------

HOLE	: 1/4 INCH
-------------	------------

SIZE	: 27 INCH
-------------	-----------

WEIGHT	: 0.742 Kg
---------------	------------



GALVANIZED U- CHANNEL POST

THICKNESS	: 4 MM
------------------	--------

MATERIAL	: MILD STEEL
-----------------	--------------


COATING	: GALVANIZED
----------------	--------------

PRODUCT CODE	: PT2
---------------------	-------

HOLE	: EVERY 2" CENTRE TO CENTRE
-------------	-----------------------------

SIZE	: 3 FEET TO 14 FEET
-------------	---------------------

WEIGHT / FEET	:
----------------------	---



GALVANIZED U- CHANNEL POST

THICKNESS	: 3 MM
------------------	--------

MATERIAL	: MILD STEEL
-----------------	--------------


COATING	: GALVANIZED
----------------	--------------

PRODUCT CODE	: PT3
---------------------	-------

HOLE	: EVERY 2" CENTRE TO CENTRE
-------------	-----------------------------

SIZE	: 3 FEET TO 14 FEET
-------------	---------------------

WEIGHT / FEET	:
----------------------	---




GALVANIZED U- CHANNEL POST WITH PLATE

THICKNESS	: 4 MM
GROOVED PLATE	: 15" X 15"
MATERIAL	: MILD STEEL
COATING	: GALVANIZED
PRODUCT CODE	: PTB2
HOLE	: EVERY 2" CENTRE TO CENTRE
SIZE	: 4 FEET TO 8 FEET



GALVANIZED U- CHANNEL POST WITH PLATE

THICKNESS	: 2.6 MM
GROOVED PLATE	: 15" X 15"
MATERIAL	: MILD STEEL
COATING	: GALVANIZED
PRODUCT CODE	: PTB2S
HOLE	: EVERY 2" CENTRE TO CENTRE
SIZE	: 4 FEET TO 8 FEET



Barricade

Application	Steel Barricade
Material	Steel
Description	Galvanize Coating


Investment Casting Parts



Sand Casting Parts



Forging Parts



Machined Parts



Sobefa Inc.



+ 1(514) 774-7631



Imorielli@mlstrategie.com

SOBEFA website is coming...



CANADA WHAREHOUSE:

171, avenue marine

Montréal, QC, H1B 4V7